SAFETY DATA SHEET

COMBI-PLUS

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name
COMBI-PLUS

Product no.
2001

▼Unique formula identifier (UFI)
VSH5-30TU-R00K-QWJM

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture
Universal cleaner

Use descriptors (REACH)

Sectors of use	Description
LCS "IS"	Industrial uses: Uses of substances as such or in preparations at industrial sites
LCS "PW"	Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Product category	Description
PC 35	Washing and Cleaning Products (including solvent based products)

Uses advised against
None known.

1.3. Details of the supplier of the safety data sheet

Company and address
Knud E. Dan A/S
Lunikvej 40
2670 Greve
Denmark
+45 43692422
+45 43690578

Contact person
Lars Bøgeholm

E-mail
lbj@knudedan.dk

Revision
07/05/2025

SDS Version
2.0

Date of previous version
29/09/2022 (1.0)

1.4. Emergency telephone number

Contact the poison hotline: +45 82 12 12 12 (24 hour service)
See section 4 “First aid measures”.

SECTION 2: Hazards identification

Classified according to Regulation (EC) No. 1272/2008 (CLP).

2.1. Classification of the substance or mixture

Eye Dam. 1; H318, Causes serious eye damage.

2.2. Label elements

Hazard pictogram(s)



Signal word
Danger

Hazard statement(s)
Causes serious eye damage. (H318)

Precautionary statement(s)

General
If medical advice is needed, have product container or label at hand. (P101)
Keep out of reach of children. (P102)

Prevention
Wear eye protection/protective gloves. (P280)

▼Response
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338)

Storage
-

Disposal
-

▼Hazardous substances
Alcohols, C9-11 ethoxylated, primær liniar
Propylheptanolethoxilate

▼Additional labelling

UFI: VSH5-30TU-R00K-QWJM

▼Labelling of contents according to Detergents Regulation (EC) No 648/2004
< 5%
· Cationic surfactants
· Non-ionic surfactants
· Phosphates

2.3. Other hazards

▼Additional warnings
This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification. This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2023/707.

SECTION 3: Composition/information on ingredients

3.1. ▼Substances
Not applicable. This product is a mixture.

3.2. ▼Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
2-(2-butoxyethoxy)ethanol	CAS No.: 112-34-5 EC No.: 203-961-6 REACH: 01-2119475104-xxxx Index No.: 603-096-00-8	5-10%	Eye Irrit. 2, H319	[1], [3]
Alcohols, C9-11 ethoxylated, primær liniar	CAS No.: 68439-46-3 EC No.: REACH: Index No.:	1-3%	Acute Tox. 4, H302 Eye Dam. 1, H318	[19]
Propylheptanolethoxilate	CAS No.: 160875-66-1 EC No.: REACH: Index No.:	1-3%	Acute Tox. 4, H302 Eye Dam. 1, H318 (SCL: 10.00 %)	
Quaternary ammonium compounds, benzyl-C12-16-	CAS No.: 68424-85-1 EC No.: 270-325-2	<1%	Acute Tox. 4, H302 Skin Corr. 1B, H314	[19]

alkyldimethyl, chlorides	REACH: 01-2119965180-41 Index No.:		Aquatic Acute 1, H400 (M=10)
ammonia, aqueous solution	CAS No.: 1336-21-6 EC No.: 215-647-6 REACH: 01-2119982985-14-XXXX Index No.: 007-001-01-2	<0.25%	Skin Corr. 1B, H314 STOT SE 3, H335 (SCL: 5.00 %) Aquatic Acute 1, H400 (M=1)

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

[1] European occupational exposure limit.
[3] According to REACH, Annex XVII, the substance is subject to restrictions.
[19] UVCB = Unknown or variable composition, complex reaction products or of biological materials

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

Skin contact

Upon irritation: rinse with water. In the event of continued irritation, seek medical assistance.

▼Eye contact

If in eyes: Flush eyes with plenty of water or salt water (20-30 °C) for at least 30 minutes and continue until irritation stops. Remove contact lenses. Make sure you flush under the upper and lower eyelids. Seek medical assistance immediately and continue flushing during transport.

▼Ingestion

If the person is conscious, rinse the mouth with water and stay with the person. Never give the person anything to drink.
In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material.

Burns

Not applicable.

4.2. ▼Most important symptoms and effects, both acute and delayed

The product contains substances that cause serious eye damage. Contact with these substances can cause irreversible effects on the eye / serious eye damage.

4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned:
Get immediate medical advice/attention.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Not applicable.

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.
If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:
Carbon oxides (CO / CO2)

5.3. ▼Advice for firefighters
Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact the chemical emergency services on 72 85 20 00 (24 h service) in order to obtain further advice.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures
Avoid direct contact with spilled substances.
Ensure adequate ventilation, especially in confined areas.
Contaminated areas may be slippery.

6.2. Environmental precautions
Avoid discharge to lakes, streams, sewers, etc.
Keep unauthorized persons away from the spill

6.3. ▼Methods and material for containment and cleaning up
Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.
Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections
See section 13 “Disposal considerations” on handling of waste.
See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling
Avoid direct contact with the product.
Smoking, drinking and consumption of food is not allowed in the work area.
See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities
Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage material
Always store in containers of the same material as the original container.

Storage conditions
5 - 25 °C

Incompatible materials
Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

7.3. ▼Specific end use(s)
This product should only be used for applications quoted in section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. ▼Control parameters
2-(2-butoxyethoxy)ethanol
Long term exposure limit (8 hours) (mg/m^3): 68
Long term exposure limit (8 hours) (ppm): 10
Short term exposure limit (15 minutes) (mg/m^3): 101
Short term exposure limit (15 minutes) (ppm): 15
Annotations:
E = Substance has an EC limit.

sodium hydroxide caustic soda
Short term exposure limit (15 minutes) (mg/m^3): 2
Annotations:
L = The limit is a ceiling value that at no time may be exceeded.

Statutory order 1619 on exposure limits for substances and mixtures (19/12/2024)

▼DNEL
2-(2-butoxyethoxy)ethanol

Duration:	Route of exposure:	DNEL:

Long term – Systemic effects - General population	Dermal	10 mg/kg uge/dag
Long term – Systemic effects - Workers	Dermal	20 mg/kg/ uge/dag
Long term – Local effects	Inhalation	5 mg/m3
Long term – Local effects - Workers	Inhalation	10 ppm
Long term – Local effects - Workers	Inhalation	67.5 mg/m³
Long term – Systemic effects - General population	Inhalation	5 mg/kg uge/dag
Long term – Systemic effects - Workers	Inhalation	10 ppm
Short term – Local effects - General population	Inhalation	7,5 ppm
Short term – Local effects - Workers	Inhalation	14 ppm
Short term – Local effects - Workers	Inhalation	101.2 mg/m³
Long term – Systemic effects - General population	Oral	6.25 mg/kg bw/day
Short term	Oral	1,3 mg/kg uge/dag

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides

Duration:	**Route of exposure:**	**DNEL:**
Long term – Systemic effects - Workers	Dermal	5,7 mg/kg bw/day
Long term – Local effects - General population	Inhalation	1,64 mg/m³
Long term – Systemic effects - Workers	Inhalation	3,96 mg/m³

sodium hydroxide caustic soda

Duration:	**Route of exposure:**	**DNEL:**
Long term – Local effects - General population	Inhalation	1 mg/m3
Long term – Systemic effects - Workers	Inhalation	1 mg/m3

▼PNEC

2-(2-butoxyethoxy)ethanol

Route of exposure:	**Duration of Exposure:**	**PNEC:**
Freshwater		1 mg/l
Freshwater		1.1 mg/L
Freshwater sediment		4 mg/l
Freshwater sediment		4.4 mg/kg
Intermittent release (freshwater)		11 mg/L
Marine water		0,1 mg/l
Marine water		110 µg/L
Marine water sediment		0,4 mg/l
Marine water sediment		440 µg/kg
Sewage treatment plant		200 mg/l
Soil		0,4 mg/l

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides

Route of exposure:	**Duration of Exposure:**	**PNEC:**
Freshwater		0,0009 mg/L
Freshwater sediment		12,27 mg/kg
Marine water		0,00096 mg/L
Marine water sediment		13,09 mg/kg

8.2. ▼Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios

There are no exposure scenarios implemented for this product.

Exposure limits

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

▼Appropriate technical measures

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked.
Ensure that eyewash stations and safety showers are located within easy reach.
Apply standard precautions during use of the product. Avoid inhalation of vapours.

▼Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Pay special attention to hands, forearms and face.

Measures to avoid environmental exposure

No specific requirements.

Individual protection measures, such as personal protective equipment

▼Generally

In the event the work process is within scope of the Danish statutory order on work with code numbered products (Work Inspectorate Order no. 302/1993), then personal protection equipment shall be selected as set out herein. If applicable, please refer to the code number of this product in section 15.
Use only CE marked protective equipment.

Respiratory Equipment

No specific requirements

Skin protection

Recommended	Type/Category	Standards
No special when used as intended.	-	-

Hand protection

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards
Nitrile	-	-	EN374-2



Eye protection

Type	Standards
Wear safety glasses with side shields.	EN166



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state

Liquid

Colour

Clear

Odour / Odour threshold

Ammonia odor

pH

11,2

Density (g/cm^3)

1.026

▼Kinematic viscosity

No data available.

Particle characteristics

Does not apply to liquids.

Phase changes

▼Melting point/Freezing point (°C)
No data available.
Softening point/range (°C)
Does not apply to liquids.
Boiling point (°C)
>100
▼Vapour pressure
No data available.
▼Relative vapour density
No data available.
▼Decomposition temperature (°C)
No data available.
Data on fire and explosion hazards
Flash point (°C)
Not applicable - estimated flash point > 200 °C
▼Flammability (°C)
No data available.
▼Auto-ignition temperature (°C)
No data available.
▼Lower and upper explosion limit (% v/v)
No data available.
Solubility
Solubility in water
Completely soluble
▼n-octanol/water coefficient (LogKow)
No data available.
▼Solubility in fat (g/L)
No data available.
9.2. Other information
Other physical and chemical parameters
No data available.
▼Oxidizing properties
No data available.

SECTION 10: Stability and reactivity

10.1. Reactivity
No data available.
10.2. Chemical stability
The product is stable under the conditions, noted in section 7 “Handling and storage”.
10.3. Possibility of hazardous reactions
None known.
10.4. Conditions to avoid
None known.
10.5. Incompatible materials
Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.
10.6. ▼Hazardous decomposition products
Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008
▼Acute toxicity

Product/substance	2-(2-butoxyethoxy)ethanol
Species:	Rabbit
Route of exposure:	Dermal
Test:	LD50
Result:	2700 mg/kg ·

Product/substance	2-(2-butoxyethoxy)ethanol

Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	2410 mg/kg ·

Product/substance	Propylheptanolethoxilate
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	>300-2000 mg/kg ·

Product/substance	Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	795 mg/kg ·

Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

▼Serious eye damage/irritation

Product/substance	Propylheptanolethoxilate
Test method:	no guideline followed
Duration:	No data available.
Result:	10 % IVI

Product/substance	Propylheptanolethoxilate
Duration:	No data available.
Result:	10 % solution: IVIS score 2,5

Causes serious eye damage.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Skin sensitisation

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

▼Long term effects

The product contains substances that cause serious eye damage. Contact with these substances can cause irreversible effects on the eye / serious eye damage.

▼Endocrine disrupting properties

This mixture/product does not contain any substances known to have hormone-disrupting properties in relation to health.

Other information

None known.

SECTION 12: Ecological information

12.1. ▼Toxicity

Product/substance	2-(2-butoxyethoxy)ethanol
Species:	Fish
Duration:	96 hours
Test:	LC50

Result:	1300 mg/l ·

Product/substance	2-(2-butoxyethoxy)ethanol
Species:	Daphnia
Duration:	24 hours
Test:	LD50
Result:	3200 mg/l ·

Product/substance	2-(2-butoxyethoxy)ethanol
Species:	Algae
Duration:	96 hours
Test:	LD50
Result:	>100 mg/l ·

Product/substance	Alcohols, C9-11 ethoxylated, primær liniar
Species:	Fish
Duration:	96 hours
Test:	LC50
Result:	23,7 mg/l ·

Product/substance	Alcohols, C9-11 ethoxylated, primær liniar
Species:	Algae
Duration:	48 hours
Test:	EC50
Result:	13,4 mg/l ·

Product/substance	Propylheptanolethoxilate
Species:	Fish
Duration:	96 hours
Test:	LC50
Result:	>10-100 mg/l ·

Product/substance	Propylheptanolethoxilate
Species:	Algae
Duration:	72 hours
Test:	EC50
Result:	>10-100 mg/l ·

Product/substance	Propylheptanolethoxilate
Species:	Daphnia
Duration:	48 hours
Test:	EC50
Result:	>10-100 mg/l ·

Product/substance	Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides
Species:	Fish
Duration:	96 hours
Test:	LC50
Result:	0,85 mg/l ·

Product/substance	Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides
Species:	Algae
Duration:	72 hours
Test:	LD50
Result:	0,026 mg/l ·

Product/substance	Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides
Species:	Daphnia
Duration:	48 hours
Test:	LD50
Result:	0,016 mg/l ·

Product/substance	ammonia, aqueous solution
Species:	Fish
Duration:	96 hours

Test:	LC50
Result:	0,53 mg/l ·

Product/substance	ammonia, aqueous solution
Species:	Daphnia
Duration:	24 hours
Test:	LD50
Result:	24 mg/l ·

Product/substance	ammonia, aqueous solution
Duration:	5 min
Test:	LD50
Result:	2 mg/l ·

Product/substance	sodium hydroxide caustic soda
Species:	Fish
Duration:	96 hours
Test:	LC50
Result:	35-189 mg/l. ·

Product/substance	sodium hydroxide caustic soda
Species:	Daphnia
Duration:	48 hours
Test:	LD50
Result:	40,4 mg/l ·

Based on available data, the classification criteria are not met.

12.2. ▼Persistence and degradability

Product/substance	2-(2-butoxyethoxy)ethanol
Result:	90-100
Conclusion:	Readily biodegradable
Test:	TG 301 E- Test Modified OECD Screening Test -70%

Product/substance	Alcohols, C9-11 ethoxylated, primær liniar
Result:	>60 %
Conclusion:	Readily biodegradable
Test:	TG 301 F - Manometric Respirometry Test - 60%

Product/substance	Propylheptanolethoxilate
Result:	letnedbrydeligt
Conclusion:	Readily biodegradable
Test:	TG 301 D - Closed Bottle Test - 60%

Product/substance	Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides
Conclusion:	Readily biodegradable

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

12.3. ▼Bioaccumulative potential

Product/substance	2-(2-butoxyethoxy)ethanol
LogKow:	0,5600
Conclusion:	No potential for bioaccumulation

12.4. Mobility in soil

No data available.

12.5. ▼Results of PBT and vPvB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

12.6. ▼Endocrine disrupting properties

This mixture/product does not contain any substances considered to have endocrine-disrupting properties in relation to the environment.

12.7. Other adverse effects

This product contains substances that are toxic to the environment. May result in adverse effects to aquatic organisms.

SECTION 13: Disposal considerations

13.1. ▼Waste treatment methods

Product is not covered by regulations on dangerous waste.
Commission Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

▼EWC code

20 01 30 Detergents other than those mentioned in 20 01 29

Specific labelling

Not applicable.

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
ADR	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

* Packing group

** Environmental hazards

Additional information

Not dangerous goods according to ADR, IATA and IMDG.

14.6. Special precautions for user

Not applicable.

14.7. Maritime transport in bulk according to IMO instruments

No data available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application

People under the age of 18 shall not be exposed to this product.

Demands for specific education

No specific requirements.

SEVESO - Categories / dangerous substances

Not applicable.

▼REACH, Annex XVII

2-(2-butoxyethoxy)ethanol is subject to REACH restrictions (entry 55).

▼Labelling of contents according to Detergents Regulation (EC) No 648/2004

< 5%
· Cationic surfactants
· Non-ionic surfactants
· Phosphates

▼Product registration number

110032

▼Regulation on work involving coded products

Code number (1993): 00-3

▼Additional information

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

▼Sources

The Danish Working Environment Authority's executive order no. 1049 of 30 May 2021 on young people's work.
Based on Council Directive 94/33 / EC of 22 June 1994 on the protection of young people at work.
Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents.
Commission Regulation (EU) No 1357/2014 of 18 December 2014 on waste.
Arbejdstilsynets bekendtgørelse nr. 301 af 13. maj 1993 om fastsættelse af kodenumre med senere ændringer.
Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (CLP).
Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

No

SECTION 16: Other information

▼Full text of H-phrases as mentioned in section 3

H302, Harmful if swallowed.
H314, Causes severe skin burns and eye damage.
H318, Causes serious eye damage.
H319, Causes serious eye irritation.
H335, May cause respiratory irritation.
H400, Very toxic to aquatic life.

The full text of identified uses as mentioned in section 1

LCS "IS" = Industrial uses: Uses of substances as such or in preparations at industrial sites
LCS "PW" = Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
PC 35 = Washing and Cleaning Products (including solvent based products)

▼Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway
ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE = Acute Toxicity Estimate
BCF = Bioconcentration Factor
CAS = Chemical Abstracts Service
CE = Conformité Européenne (European conformity)
CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
CSA = Chemical Safety Assessment
CSR = Chemical Safety Report
DMEL = Derived Minimal Effect Level
DNEL = Derived No Effect Level
EINECS = European Inventory of Existing Commercial chemical Substances
ES = Exposure Scenario
EUH statement = CLP-specific Hazard statement
EuPCS = European Product Categorisation System
EWC = European Waste Catalogue
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
GWP = Global warming potential
IARC = International Agency for Research on Cancer (IARC)
IATA = International Air Transport Association
IBC = Intermediate Bulk Container
IMDG = International Maritime Dangerous Goods
LogPow = logarithm of the octanol/water partition coefficient
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
OECD = Organisation for Economic Co-operation and Development
PBT = Persistent, Bioaccumulative and Toxic
PNEC = Predicted No Effect Concentration
RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail
RRN = REACH Registration Number
SCL = A specific concentration limit
SVHC = Substances of Very High Concern
STOT-RE = Specific Target Organ Toxicity - Repeated Exposure
STOT-SE = Specific Target Organ Toxicity - Single Exposure
TWA = Time weighted average
UN = United Nations
UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound
vPvB = Very Persistent and Very Bioaccumulative

▼Additional information

The classification of the mixture in regard of health hazards is in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP).

The safety data sheet is validated by

lbj

▼Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.
The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.
It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.
Country-language: DK-en